



C/- Mr. Daniel Robinson PMB#1008, 1867 Ygnacio Valley Road WALNUT CREEK, CA 94598-3214

July 18, 2005

Commissioner for Trademarks 2900 Crystal Drive ARLINGTON, VA 22202-1513 UNITED STATES OF AMERICA Certificate

JUL 2 6 2005

of Correction

VIA AIRMAIL

Re: Request for Certificate of Correction

Patent No. 6,820,380

United States of America Patent Application Serial No. 10/658,282

Title:

STRUCTURE OF AN ANTI-SHOCK DEVICE

Inventor:

Chong-Shien Tsai

Dear Sir/Madam:

I am writing to request a Certificate of Correction for the above-mentioned Patent application.

Enclosed herewith please find a credit card payment of US\$100.00, together with the Express Mail Certificate of Mailing, the Transmittal Letter, and the PTO-1050 Certificate of Correction Form. Also, included please find Revocation of Power of Attorney with New Power of Attorney and Power of Attorney (Correspondence Address) forms. Please ensure that all future correspondence is sent to the address of the domestic representative as provided.

Respectfully submitted,

Leong C. LEI (Reg. No. 50402)

Long Cli 2

Encl.

ٔ سان



THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Chong-Shien Tsai

Patent: STRUCTURE OF AN ANTI-SHOCK DEVICE

COMMISSIONER OF PATENTS AND TRADEMARKS ARLINGTON VA 22202 U.S.A.

EXPRESS MAIL CERTIFICATE OF MAILING

Sir:

I hereby certify that the foregoing items are being deposited as the first class mail in an envelope addressed to:

United States Patent and Trademark Office ATTN: Certificate of Correction Branch Randolph Building 401 Dulany Street Alexandria, VA 22314

- . Express Mail Certificate of Mailing
- . Transmittal Letter
- . Form PTO-1050
- . A credit card payment form in the amount of \$100 for obtaining a Certificate of Correction
- . Power of Attorney
- . Revocation of Power of Attorney

Leong C. LEI

(Reg. No. 50402)

Dated: July 18, 2005



IN THE UNITED STATES PATENT & TRADEMARK

OFFICE

APPLICANT:

Chong-Shien Tsai

PATENT NO.:

6,820,380

ISSUED:

November 23, 2004

SERIAL NO.:

10/658,282

FILED:

September 10, 2003

FOR:

STRUCTURE OF AN ANTI-SHOCK DEVICE

Commissioner of Patents & Trademarks

Washington D.C. 20231

TRANSMITTAL OF PROPOSED CERTIFICATE OF CORRECTION OF PATENT FOR APPLICANT'S MISTAKE (37 C.F.R. § 1.323)

Sir:

Enclosed is a proposed Certificate of Correction pursuant to 35 USC 254 and 37 CFR 1.322.

- 1. It is noted that an error appears in the patent of a typographical nature or character, as more fully described in the attached form. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.
- 2. Attached hereto, is Form PTO-1050 and also Credit Card Payment Form in the amount of \$100.00 for obtaining the Certificate of Correction.

Dated: July 18, 2005

Respectfully submitted,

Leong C. LEI (Reg. No. 50402)

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.

: US 6,820,380 B2

APPLICATION NO.:

10/658,282

ISSUE DATE

November 23, 2004

INVENTOR(S)

Chong-Shien Tsai

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

"Cavities" in Claim 1. should be amended to reflect the following: (see underlined word)

I Claim:

1. A structure of anti-shock device comprised of a base, a carrier, and a slide block; a slip concavity of a sunken round curved recess is respectively formed in the center of the said base top surface and in the center of the said carrier bottom surface, and the said slide block is situated between the two said slip concavities; the said slide block consists of an upper slide block member, a lower slide block member, and a coupling bearing; a seating recess is formed in the top surface of the said lower slide block member, and the said coupling bearing is nested between the upper slide block and the lower slide block member; contact surfaces between the said upper and lower slide block members and the said slip concavities consist of round curved surfaces that match the curvature of the said slip concavities; as so assembled, the said base of the anti-shock device is fastened onto the building foundation and the said carrier is fastened to the bottom section of the building columns to provide shock eliminating capability.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

C/O Daniel Robinson

PMB#1008, 1867 Ygnacio Valley Rd.

Walnut Creek, CA 94598

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.